

Day : Wednesday

Date: 2/15/2006

Time: 15:35:09

 **PALM INTRANET**

## Inventor Information for 10/616506

| Inventor Name        | City       | State/Country |
|----------------------|------------|---------------|
| STAD, SHAWN D.       | FALL RIVER | MASSACHUSETTS |
| ROGERS, CHRISTOPHER  | TAUNTON    | MASSACHUSETTS |
| SORRENTI, MICHAEL D. | MIDDLEBORO | MASSACHUSETTS |
| FATYOL, PATRICK      | WHITMAN    | MASSACHUSETTS |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

or Patent#

PCT /

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

|                         |              |          |   |           |  |                                      |
|-------------------------|--------------|----------|---|-----------|--|--------------------------------------|
| US<br>20060010786<br>A1 | US-<br>PGPUB | 20060119 | Roof snow stop  | 52/26     |  | Rogers;<br>Craig<br>Christian        |
| US<br>20060004453<br>A1 | US-<br>PGPUB | 20060105 | CERAMIC<br>DISC<br>PROSTHESIS   | 623/17.15 | 623/908  | Bartish;<br>Charles M.<br>JR. et al. |
| US<br>20050275240<br>A1 | US-<br>PGPUB | 20051215 | Sun visor<br>protector  | 296/97.6  |  | Rogers,<br>Christopher               |
| US<br>20050240181<br>A1 | US-<br>PGPUB | 20051027 | SPINAL<br>IMPLANT<br>CONNECTORS   | 606/61    |  | Boomer,<br>Mark C. et<br>al.         |
| US<br>20050189786<br>A1 | US-<br>PGPUB | 20050901 | Adjustable roof<br>extension for<br>reducing vehicle<br>wind resistance | 296/180.2 |  | Spence, W.<br>Jason et al.           |
| US<br>20050143749<br>A1 | US-<br>PGPUB | 20050630 | Insertor<br>instrument and<br>implant clip                              | 606/99    |  | Zalenski,<br>Edward B.<br>et al.     |
| US<br>20050082611<br>A1 | US-<br>PGPUB | 20050421 | Cellular mosfet<br>devices and their<br>manufacture                     | 257/341   | 257/E21.419;<br>257/E27.033;<br>257/E29.26;<br>257/E29.338;<br>438/268 | Peake,<br>Steven<br>Thomas et<br>al. |
| US<br>20050027300<br>A1 | US-<br>PGPUB | 20050203 | Method and<br>apparatus for<br>artificial disc<br>insertion             | 606/86    |  | Hawkins,<br>John Riley<br>et al.     |
| US<br>20050012344<br>A1 | US-<br>PGPUB | 20050120 | Chassis fairing<br>latch with<br>integral handle                        | 292/169   |  | Sorrells,<br>Michael C.<br>et al.    |
| US<br>20050010213<br>A1 | US-<br>PGPUB | 20050113 | Attachment<br>mechanism for<br>surgical<br>instrument                   | 606/53    |  | Stad,<br>Shawn D.<br>et al.          |
| US<br>20040203862<br>A1 | US-<br>PGPUB | 20041014 | Logical<br>boundaries in<br>communications<br>networks                  | 455/456.1 | 455/422.1  | Wood,<br>Stephen R.<br>et al.        |
| US<br>20040193271<br>A1 | US-<br>PGPUB | 20040930 | Method and<br>apparatus for<br>implant stability                        | 623/17.11 |  | Fraser,<br>Robert et<br>al.          |
| US<br>20040162425<br>A1 | US-<br>PGPUB | 20040819 | 6,7-Oxygenated<br>steroids and uses<br>related thereto                  | 540/115   | 552/615  | Burgoyne,<br>David L. et<br>al.      |
| US                      | US-          | 20040812 | 6, 7-Oxygenated   | 514/179   | 514/175;   | Burgoyne,                            |

|                         |              |          |  |           |  |                                      |
|-------------------------|--------------|----------|--|-----------|--|--------------------------------------|
| 20040157814<br>A1       | PGPUB        |          | steroids and uses<br>related thereto   |           | 540/115;<br>552/610  | David L. et<br>al.                   |
| US<br>20040098265<br>A1 | US-<br>PGPUB | 20040520 | Dialog<br>management<br>system   | 704/270   |  | Kelly, Sean<br>et al.                |
| US<br>20040002761<br>A1 | US-<br>PGPUB | 20040101 | Intervertebral<br>disc having<br>translation   | 623/17.13 | 623/17.15  | Rogers,<br>Christopher<br>et al.     |
| US<br>20030235164<br>A1 | US-<br>PGPUB | 20031225 | Management of<br>location-aware<br>networks  | 370/331   | 370/338  | Rogers,<br>Christopher<br>B. et al.  |
| US<br>20030234741<br>A1 | US-<br>PGPUB | 20031225 | Wireless<br>network access<br>point<br>configuration                                 | 342/463   | 342/464;<br>342/465  | Rogers,<br>Christopher<br>B. et al.  |
| US<br>20030233146<br>A1 | US-<br>PGPUB | 20031218 | Intervertebral<br>disc   | 623/17.14 | 623/17.11  | Grinberg,<br>Alexander<br>et al.     |
| US<br>20030208573<br>A1 | US-<br>PGPUB | 20031106 | Remote<br>execution of<br>software using<br>windows<br>management<br>instrumentation | 709/223   |  | Harrison,<br>Brian et al.            |
| US<br>20030162037<br>A1 | US-<br>PGPUB | 20030828 | Solar control<br>coated glass  | 428/432   | 428/426  | Russo,<br>David A. et<br>al.         |
| US<br>20030152781<br>A1 | US-<br>PGPUB | 20030814 | Solar control<br>coated glass  | 428/432   | 428/336;<br>428/696  | Russo,<br>David A. et<br>al.         |
| US<br>20030083668<br>A1 | US-<br>PGPUB | 20030501 | Slaphammer tool  | 606/100   |  | Rogers,<br>Christopher<br>et al.     |
| US<br>20030083664<br>A1 | US-<br>PGPUB | 20030501 | Vertebral<br>endplate chisel   | 606/79    |  | Rogers,<br>Christopher<br>et al.     |
| US<br>20020191489<br>A1 | US-<br>PGPUB | 20021219 | Mixing<br>apparatus  | 366/332   |  | Rogers,<br>Christopher<br>Roy et al. |
| US<br>20020160573<br>A1 | US-<br>PGPUB | 20021031 | Trench-gate<br>semiconductor<br>devices and their<br>manufacture                     | 438/270   | 257/E21.384;<br>257/E21.419;<br>438/135;<br>438/137;<br>438/138;<br>438/268;<br>438/27 | Peake,<br>Steven T.<br>et al.        |

|                         |              |          |   |           |   |                                      |
|-------------------------|--------------|----------|---|-----------|---|--------------------------------------|
| US<br>20020160557<br>A1 | US-<br>PGPUB | 20021031 | Trench-gate<br>semiconductor<br>devices and their<br>manufacture  | 438/197   | 257/E21.384;<br>257/E21.419                 | Peake,<br>Steven T.<br>et al.        |
| US<br>20020063219<br>A1 | US-<br>PGPUB | 20020530 | Probe style<br>radiometer   | 250/372   |   | May, Joe<br>T. et al.                |
| US 6991281<br>B2        | USPAT        | 20060131 | Adjustable roof<br>extension for<br>reducing vehicle<br>wind resistance                                 | 296/180.2 | 296/180.5                                   | Spence; W.<br>Jason et al.           |
| US 6979865<br>B2        | USPAT        | 20051227 | Cellular mosfet<br>devices and their<br>manufacture   | 257/341   | 257/330;<br>257/471;<br>438/268;<br>438/270 | Peake;<br>Steven<br>Thomas et<br>al. |
| US 6962024<br>B1        | USPAT        | 20051108 | Locking window<br>having a sweep<br>latch   | 49/449    | 292/241                                     | Miller; D.<br>Keith et al.           |
| US 6956527<br>B2        | USPAT        | 20051018 | Wireless<br>network access<br>point<br>configuration  | 342/458   |   | Rogers;<br>Christopher<br>B. et al.  |
| US 6949533<br>B2        | USPAT        | 20050927 | 6,7-Oxygenated<br>steroids and uses<br>related thereto  | 514/178   | 514/182;<br>514/825;<br>514/826;<br>552/615 | Burgoyne;<br>David L. et<br>al.      |
| US D509779<br>S         | USPAT        | 20050920 | Cab skirt for an<br>over the<br>highway truck   | D12/196   |   | Perfetti;<br>Ruben et<br>al.         |
| US 6840941<br>B2        | USPAT        | 20050111 | Vertebral<br>endplate chisel  | 606/79    | 606/84                                      | Rogers;<br>Christopher<br>et al.     |
| US D499679<br>S         | USPAT        | 20041214 | Cab skirt for an<br>over the<br>highway truck   | D12/196   |   | Perfetti;<br>Ruben et<br>al.         |
| US D498655<br>S         | USPAT        | 20041123 | Handle for an<br>over the<br>highway truck  | D8/306    |   | Perfetti;<br>Ruben et<br>al.         |
| US 6814951<br>B1        | USPAT        | 20041109 | Acetaldehyde<br>and<br>malondialdehyde<br>protein adducts<br>as markers for<br>alcohol liver<br>disease | 424/9.1   | 424/9.6;<br>436/506;<br>546/315             | Thiele;<br>Geoffrey<br>M. et al.     |
| US D497130              | USPAT        | 20041012 | Fairing trim  | D12/196   |   | Perfetti;                            |

|               |       |          |  |           |   |                            |
|---------------|-------|----------|--|-----------|---|----------------------------|
| S             |       |          | piece for an over the highway truck  |           |   | Ruben et al.               |
| US D496620 S  | USPAT | 20040928 | Fairing for an over the highway truck  | D12/196   |   | Perfetti; Ruben et al.     |
| US D496314 S  | USPAT | 20040921 | Fairing trim piece for an over the highway truck   | D12/196   |   | Perfetti; Ruben et al.     |
| US D495643 S  | USPAT | 20040907 | Fairing trim piece for an over the highway truck   | D12/196   |   | Perfetti; Ruben et al.     |
| US 6770095 B2 | USPAT | 20040803 | Intervertebral disc  | 623/17.14 |   | Grinberg; Alexander et al. |
| US D491862 S  | USPAT | 20040622 | Fairing for an over the highway truck  | D12/196   |   | Perfetti; Ruben et al.     |
| US D491508 S  | USPAT | 20040615 | Fairing for an over the highway truck  | D12/196   |   | Perfetti; Ruben et al.     |
| US 6709439 B2 | USPAT | 20040323 | Slaphammer tool  | 606/100   | 606/86  | Rogers; Christopher et al. |
| US 6706701 B1 | USPAT | 20040316 | 6, 7-oxygenated steroids and uses related thereto  | 514/182   | 514/178; 552/552; 552/561; 552/610  | Burgoyne; David L. et al.  |
| US 6660591 B2 | USPAT | 20031209 | Trench-gate semiconductor devices having a channel-accommodating region and their methods of manufacture | 438/270   | 257/E21.384; 257/E21.419  | Peake; Steven T. et al.    |
| US 6656523 B2 | USPAT | 20031202 | Solar control coated glass   | 427/166   | 427/163.1; 427/165; 427/168; 428/437; 428/697; 428/699; 428/701; 428/702; | Russo; David A. et al.     |

|                  |       |          |   |          |   |                                      |
|------------------|-------|----------|---|----------|---|--------------------------------------|
|                  |       |          |   |          | 428/704   |                                      |
| US 6596398<br>B1 | USPAT | 20030722 | Solar control<br>coated glass   | 428/432  | 428/426;<br>428/688;<br>428/689;<br>428/697;<br>428/699;<br>428/701;<br>428/702 | Russo;<br>David A. et<br>al.         |
| US 6584915<br>B1 | USPAT | 20030701 | Joint structure   | 108/56.1 | 108/51.11;<br>411/283   | Rogers;<br>Christopher<br>John       |
| US 6582117<br>B2 | USPAT | 20030624 | Mixing<br>apparatus<br>including a<br>container and a<br>mixing device<br>with a releasably<br>connected<br>reciprocating<br>head | 366/332  | 366/605   | Rogers;<br>Christopher<br>Roy et al. |
| US 6566656<br>B2 | USPAT | 20030520 | Probe style<br>radiometer   | 250/372  |   | May; Joe<br>T. et al.                |
| US 6534367<br>B2 | USPAT | 20030318 | Trench-gate<br>semiconductor<br>devices and their<br>manufacture  | 438/270  | 257/E21.384;<br>257/E21.419;<br>438/212;<br>438/259;<br>438/589;<br>438/700     | Peake;<br>Steven T.<br>et al.        |
| US 6497875<br>B1 | USPAT | 20021224 | Multilayer skin<br>or dermal<br>equivalent<br>having a layer<br>containing<br>mesenchymal<br>stem cells                           | 424/93.7 | 435/1.1;<br>435/174;<br>435/177;<br>435/325;<br>435/366;<br>435/395             | Sorrell; J.<br>Michael et<br>al.     |
| US 6457752<br>B1 | USPAT | 20021001 | Locking window  | 292/202  | 292/101;<br>292/241   | Miller; D.<br>Keith et al.           |
| US 6416212<br>B1 | USPAT | 20020709 | Method and<br>apparatus for<br>mixing materials<br>in a bag with a<br>movable plunger   | 366/117  | 366/200;<br>366/204   | Rogers;<br>Christopher<br>Roy et al. |
| US D456575<br>S  | USPAT | 20020430 | Sponge  | D32/40   | D28/63  | Celia;<br>Wayne et<br>al.            |
| US D451413       | USPAT | 20011204 | Probe style   | D10/47   | D10/78  | May; Joe                             |

|                  |       |          |  |           |   |                               |
|------------------|-------|----------|--|-----------|---|-------------------------------|
| S                |       |          | radiometer   |           |   | T. et al.                     |
| US 6317663<br>B1 | USPAT | 20011113 | Landing aid device, especially for anti-ground-collision alert vetoing   | 701/16    | 340/945;<br>73/178T   | Meunier; Hugues et al.        |
| US 6289624<br>B1 | USPAT | 20010918 | Laser bore sight device and method   | 42/116    |   | Hughes; Jeffrey T. et al.     |
| US 6229407<br>B1 | USPAT | 20010508 | Method of connecting two linearly-polarized waveguides, transition plate for the connection, and assembly comprising the plate and locking means | 333/21A   | 333/157   | Follet; Thierry et al.        |
| US 6218018<br>B1 | USPAT | 20010417 | Solar control coated glass   | 428/432   | 359/359;<br>359/580;<br>428/216;<br>428/697;<br>428/699;<br>428/701;<br>428/702             | McKown; Clem et al.           |
| US D432392<br>S  | USPAT | 20001024 | Window lock  | D8/337    |   | Miller; D. Keith et al.       |
| US 6120777<br>A  | USPAT | 20000919 | High fluorescence specific immune enhancing factor and methods of use for same   | 424/278.1 | 424/184.1;<br>424/9.1;<br>530/402;<br>530/403;<br>530/405;<br>530/406;<br>546/1;<br>546/314 | Thiele; Geoffrey M. et al.    |
| US 6105439<br>A  | USPAT | 20000822 | Device for measuring the axial thrust on a rotating shaft  | 73/862.49 | 73/862.392  | Roger; Christian Marie Michel |
| US 6046185<br>A  | USPAT | 20000404 | 6,7-oxygenated steroids and uses related thereto   | 514/178   | 514/182;<br>514/825;<br>514/826;  | Burgoyne; David L. et al.     |

|                 |       |          |  |          |   |  |
|-----------------|-------|----------|--|----------|---|--|
|                 |       |          |  |          | 540/61;<br>552/530;<br>552/533                                      |  |
| US 6023066<br>A | USPAT | 20000208 | Ultraviolet<br>radiometer  | 250/372  |   | Cain;<br>Michael<br>Scott et al.       |
| US 6017408<br>A | USPAT | 20000125 | Image protected<br>pressure<br>sensitive label   | 156/249  | 156/248;<br>156/253;<br>156/270;<br>156/277;<br>156/DIG.1           | Rogers;<br>Christopher<br>J. et al.    |
| US 5939535<br>A | USPAT | 19990817 | Acetaldehyde<br>and<br>malondialdehyde<br>protein adducts                                | 530/402  | 530/363;<br>530/403;<br>530/405;<br>530/406;<br>546/315;<br>564/502 | Thiele;<br>Geoffrey<br>M. et al.       |
| US 5894699<br>A | USPAT | 19990420 | Crypt<br>construction  | 52/132   | 52/128;<br>52/131;<br>52/134;<br>52/137                             | Fulton;<br>Robert H.<br>et al.         |
| US 5710375<br>A | USPAT | 19980120 | V-engine<br>equipped with<br>means for taking<br>measurements                            | 73/117.3 | 73/116;<br>73/119R  | Roger;<br>Christian<br>Marie<br>Michel |
| US D387123<br>S | USPAT | 19971202 | Gun support  | D22/108  | D22/199   | Hughes;<br>Jeffrey T.<br>et al.        |
| US D384498<br>S | USPAT | 19971007 | Gun support  | D3/221   |   | Hughes;<br>Jeffrey T.<br>et al.        |
| US D378708<br>S | USPAT | 19970408 | Gun support  | D3/221   | D22/108   | Hughes;<br>Jeffrey T.<br>et al.        |
| US 5499856<br>A | USPAT | 19960319 | Foldable front-<br>entry walker<br>having<br>resistance to<br>backward<br>motion         | 297/5    | 135/66;<br>135/67;<br>297/16.1;<br>297/344.18;<br>297/35            | Sorrell;<br>Michael R.<br>et al.       |
| US 5451856<br>A | USPAT | 19950919 | Device for the<br>transmission of<br>electrical power<br>signals to a<br>rotary assembly | 318/807  | 318/503;<br>318/521;<br>318/811                                     | Girard;<br>Francis et<br>al.           |
| US 5376418      | USPAT | 19941227 | Image protected  | 428/41.7 | 428/343   | Rogers;                                |



|                 |       |          |  |            |   |                                  |
|-----------------|-------|----------|--|------------|---|----------------------------------|
| A               |       |          | pressure sensitive label   |            |   | Christopher J. et al.            |
| US 5271422<br>A | USPAT | 19931221 | Safety walker  | 135/66     | 135/67;<br>297/45;<br>297/481;<br>297/5 | Sorrell;<br>Michael R.<br>et al. |
| US 4967092<br>A | USPAT | 19901030 | Apparatus for optically checking the inner profile of a tube or bore | 250/559.07 | 250/559.22;<br>356/241.1                | Fraignier;<br>Bernard et al.     |
| US 4925250<br>A | USPAT | 19900515 | Dual wheels for a radio controlled toy car                           | 301/13.1   | 301/36.1;<br>301/95.101                 | Sorrentino;<br>Michael et al.    |
| US D283057<br>S | USPAT | 19860318 | Barber's comb  | D28/25     |   | Rogers;<br>Christopher M.        |